


PRICE LIST ELMEX TERMINAL

For DIN Rail Mounted Polyamide 6.6






TRUNG PHU CO., Ltd.






Authorised Distributor of Elmex Terminals and Its Accessories




Add: 102 Nguyen Van Luong Str., Ward 17, Go Vap Dist., HoChiMinh City




Tel: +84-8-62955593 Fax: +84-8-62955594


Website: www.trungphu.net


Sr. No		Description	Type	Std. Packing	VND Price List With VAT 10%
1)	"elmex" UNIVERSAL RAIL MOUNTED TERMINALS (Polyamide 6.6 Housing)				
	A) FEED-THROUGH TERMINALS				
					
	1)	2.5 sq.mm	KUT 2.5N	100	6,030
	2)	4 sq.mm	KUT 4N	100	6,200
	3)	6 sq.mm	KUT 6N	100	7,860
	4)	10 sq.mm	KUT 10N	100	10,230
	5)	16 sq.mm	KUT 16	50	18,160
	6)	25 sq.mm	KUT 25	50	27,480
	7)	35 sq.mm	KUT 35	50	36,790
	8)	50 sq.mm	KUT 50	10	116,520
	9)	95 sq.mm	KUT 95	10	191,080
	B) DOUBLE DECK TERMINALS				-
					
		For Conductor Size			-
		4 Sq mm (with offset)	KUDD 4N	100	22,300
	C) TRIPLE DECK TERMINALS				-
	1)	2.5 Sq.mm	DU3D4	50	52,180
	2)	2.5 Sq.mm	DUSD4	50	23,370
	D) FUSE TERMINALS				-
					
	1)	4 Sq mm Without LED	KUDF4	100	33,450
		4 Sq mm With LED indication for 240 VAC, 110 VAC	KUDF4A	100	46,530
		4 sq mm With LED indication for 24 VDC, 48 VDC, 110 VDC	KUDF4D	100	45,460
	2)	4 Sq mm Without LED	UBDF4	100	33,450
		LED kits for UBDF4	LED Kit (UBDF4)	100	13,060
	3)	4 sq mm Without LED	KUFH 4	50	55,460
		4 Sq mm With LED indication for 240 VAC, 110 VAC	KUFH 4A	50	65,250
		4 sq mm With LED indication for 24 VDC, 48 VDC, 110 VDC	KUFH 4D	50	64,170
	4)	10 Sq mm without LED	KUF 10	50	67,410
		10 Sq mm With LED indication for 240 VAC, 110 VAC	KUF 10A	50	78,310
		10 Sq mm With LED indication for 24 VDC, 48 VDC, 110 VDC	KUF 10D	50	77,230
			GL6.3Fuse	1000	11,300
	E)	DOUBLE DECK FUSE FEED THROUGH TERMINALS-UPPER TIER WITH HINGED LEVER FOR ACCOMODATING 5 X 20 MM OR 5 X 25 MM FUSE CARTRIDGE			-
					-
	1)	Without LED	KUDDF4	50	50,710
	2)	With LED indication for 240 VAC, 110 VAC	KUDDF4A	50	64,210
	3)	With LED indication for 24 VDC, 48 VDC, 110 VDC	KUDDF4D	50	63,060

F)		DISCONNECTION TERMINALS			-
					
		For Conductor Size			-
	1)	6 Sq.mm (Sliding link type)	KUTSD6	50	34,800
		6 Sq.mm (Sliding link type) 2WAY	KUTSD 6 2WAY	50	94,490
	2)	10 Sq.mm (Sliding link type)	KUTD10	50	54,170
G)		SPRING LOADED TERMINALS			-
					
		For Conductor Size			-
	1)	10 Sq.mm	KULT 1	100	28,860
	2)	4 Sq.mm	KULT 4	100	20,470
	3)	6 Sq.mm	KULT 6	100	22,960
H)		DISCONNECTING SPRING LOADED			-
					
	1)	4 Sq mm	KULTD 4	100	35,010
	2)	6 Sq.mm	KULTD 6	50	75,740
	3)	Plug & Socket Terminal Block	PS 8M (2 Way)	15	81,550
I)		STUD TYPE TERMINALS			-
					
	1)	2.5 Sq.mm Hinged Stud Terminal	OAT 2.5	50	20,490
	2)	6 Sq.mm Hinged Stud Terminal	OAT 6	50	22,980
	3)	6 Sq.mm Hinged Stud Terminal for disconnect application	OAT 6T	50	42,890
J)		COMPONENT HOUSING			-
					
	1)	4 Sq mm double deck terminal with common cathode config 1	KUDD 4CC1	100	41,940
	2)	4 Sq mm double deck terminal with common cathode config 2	KUDD 4CC2	100	41,940
	3)	4 Sq mm double deck terminal with common anod config 1	KUDD 4CA1	100	41,940
	4)	4 Sq mm double deck terminal with common anod config 2	KUDD 4CA2	100	41,940
	5)	4 Sq mm double deck terminal with diode	KUDD 4D1	100	41,940
	6)	4 Sq mm double deck terminal with resister	KUDD 4R	100	41,940
	7)	4 Sq mm double deck terminal with MOV	KUDD 4MOV	100	41,940

K)		EARTHING TERMINALS			-
					
		For Conductor Size			-
	1)	4 Sq.mm	ET 4	50	42,140
	2)	6 Sq.mm	ET 6	50	50,020
	3)	10 Sq.mm	ET 10	50	53,820
	4)	16 Sq.mm	ET 16	50	67,130
	5)	35 sq.mm	ET 35	25	130,490
	6)	50 sq mm.	ET 50	10	326,190
	7)	4 Sq.mm	ETN4	1000	33,840
	8)	6 Sq.mm	ETN6	1000	40,190
	9)	10 Sq.mm	ETN10	1000	43,370
L)		POWER BUS BAR TERMINALS			-
					
	1)	50 Sq.mm (Bolt – Bolt)	DPBB 50	10	97,850
	2)	70 Sq.mm (Bolt - Bolt)	DPBB 70	10	139,810
	3)	120 Sq.mm (Bolt - Bolt)	DPBB 120	10	221,350
	4)	185 Sq.mm (Clamp - Clamp)	DPBB 185N	10	312,210
	5)	240 Sq.mm (Clamp - Clamp)	DPBB 240	10	378,630
M)		POWER BUS BAR TERMINALS (SHROUDED)			-
					
	1)	35 Sq.mm	SPT 35	10	160,760
	2)	70 Sq.mm	SPT 70	10	238,830
N)		DISTRIBUTION BLOCK			
					
	1)		DBK 8		
	2)		DBK 1x2		
	3)		DBK 1x4		
	4)		DBK 1x8	10	201,200
	5)		FDBK 8		
	6)		FDBK 1x4		
	7)		FDBK 1x8		
	8)		FDBK 12		


O) SPRING CLAMP TERMINALS					
					
	1)	"Elmex" 2.5 Sqm Cage Clamp Terminal Block- Grey	DST 2.5 (G)	1000	7,800
	2)	"Elmex" 4.0 Sqm Cage Clamp Terminal Block- Grey	DST 4.0 (G)	1000	11,480
	3)	"Elmex" 6.0 Sqm Cage Clamp Terminal Block- Grey	DST 6.0 (G)	800	20,490
	4)	"Elmex" 10 Sqm Cage Clamp Terminal Block- Grey	DST 10 (G)	500	41,010
	5)		DCT 2.5 1x2	100	10,010
	6)		DCT 2.5 2x2	100	16,080
	7)		DST 2.5 1x2		
	8)		DCF 4		
	9)		DSET 4		
	10)		DSET 6		
P) MICRO TERMINALS (TS 15 mm : Polyamide 6.6 Housing)					-
					
		For Conductor Size			-
	2)	4 Sq.mm	SUT 4	100	6,800
	3)	4 Sq.mm	MBT 4	100	9,880
	4)	4 Sq.mm (Panel Mounted)	PET 4	100	7,250
Q) LIGHTING POLE TERMINALS					-
					
	1)	25 Sq.mm	LPT 225	10	61,760
	2)	35 Sq.mm	LPT 235	10	140,980
	3)	25 Sq.mm	LPT 325	10	94,390
	4)	35 Sq.mm	LPT 335	10	199,220
2) MOUNTING ACCESSORIES					-
A) END PLATES					-
					
		For Terminal Type			-
	1)	KUT 2.5N, KUT 4N, KUT 6N, KUT 10N	KPXN	100	3,900
	2)	KUT 16	KPY	100	8,180
	3)	KUT 25	KPT	100	8,180
	4)	KUDD 4N	KPDDN	25	7,720
	5)	DU3D 4,	DP3D	25	10,210
	6)	DUSD 4	DP3D	25	4,980
	7)	DST 2.5 mm2	DSEP 2.5 (G)	500	3,350
	8)	DST 4.0 mm2	DSEP 4.0 (G)	500	4,640
	9)	DST 6.0 mm2	DSEP 6.0 (G)	300	4,640
	10)	DST 1.0 mm2	DSEP 1.0 (G)	200	10,010

	11)	DCT 2.5 1x2, 2x2	DPM2.5	100	5,610
	12)	KUTD 10	KPTD	25	7,250
	13)	KUTSD 6	KPSD	25	8,540
	14)	KULTD 4	KPSD 4	25	8,540
	15)	KULTD 6	KPSLD	25	8,510
	16)	KUFH 4/ KUFH 4A/KUFH 4D	EPFH	25	8,180
	17)	KUF 10	EPF	25	11,180
	18)	KULT 1, KULT 4, KULT 6	KPSL	25	8,180
	19)	PET 4	EPP	25	4,660
	20)	SUT 4	ES 4	25	3,520
	21)	MBT 4	MP 1	25	4,980
	22)	OAT2.5	OEP2.5	25	6,100
	23)	OAT6	OEP6	25	6,860
	24)	OAT6T	OEP6T	25	9,500
B) BARRIER PLATES FOR SEGREGATION OF CIRCUITS					-
		For Terminal Type			-
	1)	KUT 2.5	KBM	25	8,180
	2)	KUT 4, KUT 6, KUT 10, KST 4 U WS	KBX	25	9,660
	3)	KUT 16	KBY	25	11,000
	4)	KUT 25	KBT	25	11,000
	5)	MBT 4	MBX	25	8,040
	6)	KULTD4, KULTD6, ET 6, ET 10,	KBXF	25	11,950
	7)	KUT 2.5N, KUT 4N, KUT 6N, KUT 10N	KNBF 2.5/10	25	12,210
	8)	KULT 1, KUT 16, KUT 25, KUT 35, KUDF 4, KUDF 4A, KUDF 4D, ET 16, ET 35	KBZF	25	15,050
	9)	DPBB50, DPBB70	BPN 70	20	20,050
	10)	DPBB120	BPN 120	20	25,030
	11)	DPBB 185N, DPBB 240	BPA 185	20	46,350
C) NEUTRAL LINKS					-
					
	1)	4sq.mm Conduction Connection Clamp for neutral link	KNL 4	25	6,400
	2)	16sq.mm Conduction Connection Clamp for neutral link	KNL 16	25	8,420
	2)	35sq.mm Conduction Connection Clamp for neutral link	KNL 35	25	13,670
	3)	6 x 6 neutral bar	6X6 Current Bar	25	407,750
	4)	10 x 3 neutral bar	10x3 Current Bar	25	378,630
	5)	Panel mounted supports for neutral bar	SCNL	25	150,380
	6)	Side Clamps for rail mounted neutral bar	KNLSUP	25	7,290
D) SIDE CLAMPS WITH FIXING SCREWS FOR					-
					
	1)	35 mm DIN Rail (TS 35)	SCKN	100	7,510
	2)	35 mm DIN Rail (TS 35)	SCKNMLH	100	10,590
	2)	15 mm DIN Rail (TS 15)	SCMN	100	4,500
	3)	32 MM & 35 MM DIN Rail (TS 32/35)	SCUN	100	9,290
	4)	32 mm and 35 mm DIN Rail (TS 32/35)	SCUNMLH	100	13,100
	5)	32 MM & 35 MM DIN Rail (TS 32/35)	SCUDD	50	16,830
	6)	32 MM & 35 MM DIN Rail (TS 32/35)	SCUP	100	8,300
	7)	32 MM & 35 MM DIN Rail (TS 32/35)	SCUSL	50	9,360
	8)	32 MM & 35 MM DIN Rail (TS 32/35)	DCKN	100	7,570

E) MOUNTING RAILS				-
				
	a)	35 mm (CHK) (TS 35)		-
		1000 mm length (perforated)	CHKS10	113,420
	b)	35 mm (CHKD) (Deep)		-
		1000 mm length (perforated)	CHKDS10	186,400
	c)	15 mm (CHM) Perforated) (TS15)		-
		1000 mm length	CHM 10	85,480
F) WARNING LABELS WITH INSULATING SCREWS				-
		For Terminal Type		-
	1)	KUT 4N,	WL 2.5	10
	2)	KUT 6N	WL 6	10
	3)	KUT 10N	WL 10	10
	4)	KUT 16, KUT 25	WL 16	10
	5)	KUT 35	WL 35	10
	6)	Group Marking Carrier	GMC	100
G) MARKING LABEL STRIPS (10 Labels)				-
				
		For Terminal Type		-
	1)	KUT 2.5N, DST 2.5, DST 2.5 1x2, DCT 2.5 1x2, DCT 2.5 2x2	KN 5	100
	2)	KUT 4N, ET 4 KUDD4N, KULTD4, SUT 4, KULT4, DST 4	KN 5.5	100
	3)	ET 6,	KN 6.5	100
	4)	KUT6N, KUDF4, KUDDF4, KUTD10, KULTD6, KUTSD6, ET6, KULT6, DST 8,	KN 8	100
	5)	KUT 10N, KULT 1, ET 10, DST 10	KN 10	100
	6)	KUT 16, KUT 25, ET 16, ET 35,	KN 12	100
	7)	KUT 35, KUT 50, KUT 95, ET 50	KN17	100
	8)	Marking Label Card	KC 5.5	100
	9)	UBDF 4 / UBDF 4A, UBDF 4D	U 8.25	100
3) INTER CONNECTION ACCESSORIES				-
A) CROSS CONNECTION LINK ASSEMBLY - 2 WAY WITH CAPTIVE SCREWS, SLEEVES				-
				
		For Terminal Type		-
	1)	KUT 2.5N	CCLM2.5N (2 Pole)	50
			CCLM2.5N (3 Pole)	50
			CCLM2.5N (4 Pole)	50
			CCLM2.5N (5 Pole)	50
			CCLM2.5N (10Pole)	50
	2)	KUT 4N	CCLA 4N (2 Pole)	50
			CCLA 4N (3 Pole)	50
			CCLA 4N (4 Pole)	50
			CCLA 4N (5 Pole)	50
			CCLA 4N (10 Pole)	50
	3)	KUT 6N	CCLA 6N (2 Pole)	50

				CCLA 6N (3 Pole)	50	11,380
				CCLA 6N (4 Pole)	50	15,170
				CCLA 6N (5 Pole)	50	18,950
				CCLA 6N (10 Pole)	50	37,910
		4)	KUT 10N	CCLA 10N (2 Pole)	50	8,850
				CCLA 10N (3 Pole)	50	13,280
				CCLA 10N (4 Pole)	50	17,720
				CCLA 10N (5 Pole)	50	22,130
				CCLA 10N (10 Pole)	50	44,280
		5)	KUT 16	CCLA 16 (2 Pole)	50	8,970
				CCLA 16 (3 Pole)	50	13,490
				CCLA 16 (4 Pole)	50	17,960
				CCLA 16 (5 Pole)	50	22,460
		6)	KUT 25	CCLA 25 (2 Pole)	50	9,150
				CCLA 25 (3 Pole)	50	13,730
				CCLA 25 (4 Pole)	50	18,310
				CCLA 25 (5 Pole)	50	22,880
		7)	KUT 35	CCLA 35 K (2 Pole)	50	9,270
				CCLA 35 K (3 Pole)	50	13,930
				CCLA 35 K (4 Pole)	50	18,550
				CCLA 35 K (5 Pole)	50	23,190
		8)	SUT 4	CCLA DD (2 Pole)	50	6,990
				CCLA DD (3 Pole)	50	10,490
				CCLA DD (4 Pole)	50	13,990
				CCLA DD (5 Pole)	50	17,460
				CCLA DD (10 Pole)	50	34,950
		9)	KUDD 4N	CCLA DDN (2 Pole)	50	6,990
				CCLA DDN (3 Pole)	50	10,490
				CCLA DDN (4 Pole)	50	13,990
				CCLA DDN (5 Pole)	50	17,460
				CCLA DDN (10 Pole)	50	34,950
		10)	KULT 1	CCLA 1 LK (2 Pole)	50	7,760
				CCLA 1 LK (3 Pole)	50	11,620
				CCLA 1 LK (4 Pole)	50	15,510
				CCLA 1 LK (5 Pole)	50	19,380
				CCLA 1 LK (10 Pole)	50	38,760
		11)	KULT 4	CCLAK 4 (2 Pole)	50	6,860
				CCLAK 4 (3 Pole)	50	10,290
				CCLAK 4 (4 Pole)	50	13,730
				CCLAK 4 (5 Pole)	50	17,150
				CCLAK 4 (10 Pole)	50	34,300
		12)	KULT 6	CCLAK 6 (2 Pole)	50	6,990
				CCLAK 6 (3 Pole)	50	10,490
				CCLAK 6 (4 Pole)	50	13,990
				CCLAK 6 (5 Pole)	50	17,460
				CCLAK 6 (10 Pole)	50	34,950
		B) REMOVABLE SHORTING LINK - 2 WAY				-
			For Terminal Type			-
		1)	KUT 2.5N	RSL 2.5N	50	2,030
		2)	KUT 4N	RSDD	50	2,030
		3)	KUT 6N	RSL 6	50	2,030
		4)	KUT 16	RSL 16	50	2,670
		5)	KUT 25	RSL 25	50	2,920
		6)	KUT 35	RSL 35 K	50	3,910
		7)	KULT 1	RSL 1L	50	2,350

	C)	LONGER STUDS WITH SCREWS FOR REMOVABLE SHORTING LINK			-
	1)	Type RSL 2.5N	LSR 2.5N	50	3,520
	2)	Type RSLDD, RSL 6	LSR 6N	50	3,520
	3)	Type RSL 10 RSL 16	LSR 10-16	50	4,190
	4)	Type RSL25	LSR 25	50	5,390
	5)	Type RSL 35	LSR 35 K	50	7,720
	6)	Type RSL 1L	LSR 1L	50	4,190
	D)	COMB TYPE SHORTING LINK - 2 WAY (INSULATED)			-
		For Terminal Type			-
	1)	KUTD 10	KDSL (2 Pole)	50	11,990
			KDSL (3 Pole)	50	17,980
			KDSL (5 Pole)	50	29,990
			KDSL (10 Pole)	50	59,940
	2)	KUDF 4, KUDDF 4	UFSL (2 Pole)	50	11,990
			UFSL (3 Pole)	50	17,980
			UFSL (5 Pole)	50	29,990
			UFSL (10 Pole)	50	59,940
	3)	KUT 4N, KUDD 4N, SUT 4, DU3D 4, DUSD 4	SLC 4N (2 Pole)	50	6,200
			SLC 4N (3 Pole)	50	9,270
			SLC 4N (5 Pole)	50	15,450
			SLC 4N (10 Pole)	50	30,920
	4)	KUTSD 6	SLC 6 (2 Pole)	50	7,130
			SLC 6 (3 Pole)	50	10,670
			SLC 6 (5 Pole)	50	17,800
			SLC 6 (10 Pole)	50	35,600
	5)	OAT2.5	OSL2.5 (2 Pole)	50	8,730
			OSL2.5 (3 Pole)	50	13,100
			OSL2.5 (5 Pole)	50	21,810
			OSL2.5 (10 Pole)	50	43,640
	6)	OAT6	OSL6 (2 Pole)	50	12,250
			OSL6 (3 Pole)	50	18,350
			OSL6 (5 Pole)	50	30,600
			OSL6 (10 Pole)	50	61,220
	7)	OAT6T	OSL6TR (2 Pole)	50	15,410
			OSL6TR (3 Pole)	50	23,130
			OSL6TR (5 Pole)	50	38,560
			OSL6TR (10 Pole)	50	77,090

4) Current Transformer						
						
		1)	Cuttenrt Transformers 100/5A VA 1.5	ELP3/100/5A-1.5/1	9	159,780
		2)	Cuttenrt Transformers 150/5A VA 2.5	ELP3/150/5A-2.5/1	9	159,780
		3)	Cuttenrt Transformers 200/5A VA 2.5	ELP3/200/5A-2.5/1	9	159,780
		4)	Cuttenrt Transformers 250/5A VA3.75	ELP3/250/5A-3.75/1	9	159,780
		5)	Cuttenrt Transformers 300/5A VA 3.75	ELP3/300/5A-3.75/1	9	159,780
		6)	Cuttenrt Transformers 200/5A VA 2.5	ELPG3/200/5A-2.5/1	9	159,780
		7)	Cuttenrt Transformers 250/5A VA 2.5	ELPG3/250/5A-2.5/1	9	159,780
		8)	Cuttenrt Transformers 300/5A VA 2.5	ELPG3/300/5A-2.5/1	9	159,780
		9)	Cuttenrt Transformers 400/5A VA 5	ELPG3/400/5A-5.0/1	9	159,780
		10)	Cuttenrt Transformers 500/5A VA 5	ELPH3/500/5A-5.0/1	9	186,660
		11)	Cuttenrt Transformers 600/5A VA 5	ELPH3/600/5A-5.0/1	9	186,660
		12)	Cuttenrt Transformers 800/5A VA 5	ELPH3/800/5A-5.0/1	9	212,820
		13)	Cuttenrt Transformers 1000/5A VA 10	ELPJ3/1000/5A-10/1	9	319,590
		14)	Cuttenrt Transformers 1250/5A VA 10	ELPJ3/1250/5A-10/1	9	346,470
		15)	Cuttenrt Transformers 1500/5A VA 15	ELPL2/1500/5A-15/1	9	439,440
		16)	Cuttenrt Transformers 1600/5A VA 15	ELPL2/1600/5A-15/1	9	439,440
		17)	Cuttenrt Transformers 2000/5A VA 15	ELPM2/2000/5A-15/1	9	639,200
		18)	Cuttenrt Transformers 2500/5A VA 15	ELPM2/2500/5A-15/1	6	679,140
		19)	Cuttenrt Transformers 3200/5A VA 15	ELPM2/3200/5A-15/1	6	772,100
Lưu Ý: Toàn bộ giá của sản phẩm đã bao gồm VAT 10% và có thể được thay đổi mà không có thông báo trước.						